

REFREX® 1400

In accordance with the REACH Regulation (EC) 1907/2006 and its modifications

1. IDENTIFICATION OF THE PRODUCT AND OF THE COMPANY

Tradename : Refrex® 1400

1.1 Product identification numbers

98-0400-0592-2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Ceramic Fibre

Identification of the company

INSULCON B.V.

P.O. Box 134

4650 AC STEENBERGEN, The Netherlands

Zilverhoek 4, 4651 SP STEENBERGEN

Tel. : +31 (0)167-565750

Fax : +31 (0)167-566263

www.insulcon.com

KERAMAB N.V.

Belgium

Tel. : + 32 (0)3 711.02.78

INSULCON GMBH

Germany

Tel.: + 49 (0) 2131 408548-0

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

CLASSIFICATION:

This material is exempt from hazard classification according to Regulation (EC) No. 1272/2008, as amended, on classification, labelling, and packaging of substances and mixtures.

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

Not applicable

2.3. Other hazards

None known.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	CAS Nbr	EU Inventory	% by Wt	Classification
Aluminoborosilicate	12788-79-3		95 - 100	
Organic sizing	Trade Secret		0 - 2	

Please see section 16 for the full text of any R phrases and H statements referred to in this section

Insulcon B.V.- The Netherlands - Tel: +31 (0)167 565 750

Insulcon GmbH - Germany - Tel: +49 (0)2131 408548-0

Keramab N.V. – Belgium - Tel: +32 (0)3 711 02 78

INSULCON

LEADER IN HIGH TEMPERATURE SOLUTIONS

KERAMAB

LEADER IN HIGH TEMPERATURE SOLUTIONS

www.insulcon.com / www.keramab.com

Form: A5-001

Effective: 12052016/KV/ka

Supersedes: 25032016/ES/an

All Rights Reserved

REFREX® 1400

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS.

4. FIRST-AID MEASURES

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you are concerned, get medical advice.

Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Material will not burn. Use a fire fighting agent suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

5.3. Advice for fire-fighters

No special protective actions for fire-fighters are anticipated.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Not applicable.

6.2. Environmental precautions

Not applicable.

6.3. Methods and material for containment and cleaning up

Not applicable.

REFREX® 1400

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid skin contact with hot material. Avoid breathing of dust created by cutting, sanding, grinding or machining. This product is considered to be an article which does not release or otherwise result in exposure to a hazardous chemical under normal use conditions.

7.2. Conditions for safe storage including any incompatibilities

Not applicable

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Not applicable.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Skin/hand protection

No chemical protective gloves are required.

Respiratory protection

During end use:

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Thermal hazards Wear heat insulating gloves when handling hot material to prevent thermal burns.

REFREX® 1400

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	Solid.
Appearance/Odour	Textile grade fibers which are equal to or greater than 7 microns in diameter, shiny, white, thread, yarn or fabric.
Odour threshold	Not applicable.
pH	Not applicable.
Boiling point/boiling range	Not applicable.
Melting point	>=1800°C
Flammability (solid, gas)	Not classified
Explosive properties	Not classified
Oxidising properties	Not classified
Flash point	Not applicable.
Autoignition temperature	No data available.
Flammable Limits(LEL)	Not applicable.
Flammable Limits(UEL)	Not applicable.
Vapour pressure	Not applicable.
Relative density	2.70 - 3.05 [Ref Std:WATER=1]
Solubility- non-water	Not applicable.
Partition coefficient: n-octanol/water	No data available.
Evaporation rate	Not applicable.
Vapour density	Not applicable.
Decomposition temperature	Not applicable.
Density	2.7 - 3.05 g/cm ³

9.2. Other information

Molecule weight	No data available.
-----------------	--------------------

10. STABILITY AND REACTIVITY

10.1 Reactivity

This material is considered to be non reactive under normal use conditions

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

None known.

REFREX® 1400

10.6 Hazardous decomposition products

Substance Condition

Substance	Condition
Carbon monoxide.	At elevated temperatures.
Irritant vapours or gases.	At elevated temperatures.

Under recommended usage conditions, hazardous decomposition products are not expected. Hazardous decomposition products may occur as a result of oxidation, heating, or reaction with another material.

11. TOXICOLOGICAL INFORMATION

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from Insulcon assessments.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Vapours from heated material may cause irritation of the respiratory system: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, nose and throat pain. Dust from cutting, grinding, sanding or machining may cause irritation of the respiratory system: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, nose and throat pain.

Skin contact

Mechanical skin irritation: Signs/symptoms may include abrasion, redness, pain, and itching.

Eye contact

Mechanical eye irritation: Signs/symptoms may include pain, redness, tearing and corneal abrasion.

Ingestion

Physical Blockage: Signs/symptoms may include cramping, abdominal pain, and constipation.

Additional Health Effects:

Due to their large size (7-15 microns in diameter), Nextel(TM) Ceramic Fibers do not meet the definition of respirable as defined by WHO convention and ECHA. Because Nextel fibers are considered non-respirable, they are not expected to pose a cancer risk.

REFREX® 1400

Additional information:

This product, when used under reasonable conditions and in accordance with the 3M directions for use, should not present a health hazard. However, use or processing of the product in a manner not in accordance with the product's directions for use may affect the performance of the product and may present potential health and safety hazards. Due to their large size (7-15 microns in diameter), Nextel(TM) Ceramic Fibers do not meet the definition of respirable as defined by WHO convention and ECHA. Because Nextel fibers are considered non-respirable, they are not expected to pose a cancer risk.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Organic sizing	Dermal	Rabbit	LD50 > 20,000 mg/kg
Organic sizing	Ingestion	Rat	LD50 32,770 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Organic sizing	Rabbit	Minimal irritation

Serious Eye Damage/Irritation

Name	Species	Value
Organic sizing	Rabbit	Mild irritant

Skin Sensitisation

Name	Species	Value
Organic sizing	Guinea pig	Not sensitising

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Organic sizing	In Vitro	Not mutagenic
Organic sizing	In vivo	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
Organic sizing	Ingestion	Rat	Not carcinogenic

REFREX® 1400

Reproductive Toxicity Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure/Duration
Organic sizing	Ingestion	Not toxic to female reproduction	Rat	NOAEL 1,125 mg/kg/day	during gestation
Organic sizing	Ingestion	Not toxic to male reproduction	Rat	NOAEL 5699 +/- 1341 mg/kg/day	5 days
Organic sizing	Not specified	Some positive reproductive/developmental data exist, but the data are not sufficient for classification		NOEL N/A	
Organic sizing	Ingestion	Some positive developmental data exist, but the data are not sufficient for classification	Mouse	NOAEL 562 mg/animal/day	during gestation

Target Organ(s) Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure/Duration
Organic sizing	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 1.008 mg/l	2 weeks
Organic sizing	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 5,640 mg/kg/day	13 week

Aspiration Hazard

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

12. ECOLOGICAL INFORMATION

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from Insulcon assessments.

Insulcon B.V.- The Netherlands - Tel: +31 (0)167 565 750
 Insulcon GmbH - Germany - Tel: +49 (0)2131 408548-0
 Keramab N.V. – Belgium - Tel: +32 (0)3 711 02 78



www.insulcon.com / www.keramab.com

Form: A5-001
 Effective: 12052016/KV/ka
 Supersedes: 25032016/ES/an
 All Rights Reserved

REFREX® 1400

12.1. Toxicity

No product test data available.

Material	CAS Nbr	Organism	Type	Exposure	Test endpoint	Test result
Organic sizing	Trade Secret	Atlantic Salmon		Experimental	96 hours LC50	>1,000 mg/l
Aluminoborosil icate	12788-79-3			Data not available or insufficient for classification		

12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Aluminoborosil icate	12788-79-3	Data not available Or insufficient for classification	N/A	N/A	N/A	N/A
Organic sizing 301C - MITI	Trade Secret	Experimental Biodegradation		28 days	BOD 56.2 % weight	OECD test (I)

12.3 : Bioaccumulative potential

Material Protocol	CAS Nbr	Test type	Duration	Study Type	Test result	
Aluminoborosil icate	12788-79-3	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Organic sizing	Trade Secret	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

12.4. Mobility in soil

Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

No information available at this time, contact manufacturer for more details

12.6. Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

See Section 11.1 Information on toxicological effects

This product has been classified as a non-hazardous waste. Prior to disposal, consult all applicable authorities and regulations to insure proper classification. Dispose of waste product in a permitted industrial waste facility. If no other disposal options are available, waste product may be placed in a landfill properly designed for industrial waste.

REFREX® 1400

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

EU waste code (product as sold)

160304 Inorganic wastes other than those mentioned in 16 03 03

14. TRANSPORT INFORMATION

98-0400-0592-2

Not hazardous for transportation

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact Insulcon B.V. for more information.

15.2 Chemical Safety Assessment

Not applicable

16. OTHER INFORMATION

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.