

# INSULPUTTY STOVE KIT

European directive on Chemicals No. 1907/ 2006 (REACH) – products that are considered as articles are not compulsory in term of REACH regulation.

## 1. IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY

INSULPUTTY STOVE KIT can be used to adhere or repair cracks in for example fireplaces, wood burning stoves, etc.

### Identification of the suppliers

#### **INSULCON B.V.**

P.O. Box 134

4650 AC STEENBERGEN, The Netherlands

Zilverhoek 4, 4651 SP STEENBERGEN

Tel. : +31 (0)167-565750

Fax : +31 (0)167-566263

[www.insulcon.com](http://www.insulcon.com)

#### **KERAMAB N.V.**

Belgium

Tel. : + 32 (0)3 711.02.78

#### **INSULCON GmbH**

Germany

Tel.: + 49(0) 2131-408548-0

## 2. HAZARDS IDENTIFICATION

No particular hazards known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### **Composition**

Chemical composition: SiO<sub>2</sub> – 52-56% - Al<sub>2</sub>O<sub>3</sub> 39-45%, Fe<sub>2</sub>O<sub>3</sub> – 2-5%, Other Components < 3%

## 4. FIRST AID MEASURES

### **General**

No special pre-cautions necessary

### **In the event of splashes or contact with skin.**

This product normally does not rinse the skin. If it does, wash immediately with plenty of water.

### **After contact with eyes:**

In case of contact with eyes rinse thoroughly with plenty of water.

### **After inhaling**

Supply fresh air

### **After ingestion**

When swallowed seek consult a physician.

## 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media. No special pre-cautions necessary

Insulcon B.V.- The Netherlands - Tel: +31 (0) 167 565 750

Insulcon GmbH - Germany - Tel: +49 (0)2131 408548-0

Keramab N.V. – Belgium - Tel: +32 (0)3 711 02 78

**INSULCON**

LEADER IN HIGH TEMPERATURE SOLUTIONS

**KERAMAB**

LEADER IN HIGH TEMPERATURE SOLUTIONS

[www.insulcon.com](http://www.insulcon.com) / [www.keramab.com](http://www.keramab.com)

Form: C4-023

Effective: 08022017/TW/ka

Supersedes:28122016/AW/an

All Rights Reserved

# INSULPUTTY STOVE KIT

## 6. ACCIDENTAL RELEASE MEASURES

### Environmental precautions:

Avoid dust otherwise, no special pre-cautions necessary

## 7. HANDLING AND STORAGE

No special pre-cautions necessary

### **Shelf life**

Approximately 6 months, based on unopened material kept in cool, dry storage conditions. Excessive heat will shorten shelf life and repeated freezing will damage the product. Storage between 5°C and 20°C is recommended.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ensure good ventilation, avoid dust.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Form	: Paste
Color	: Grey
Odor	: Odorless
Wet Density	: 2.0 g/cm <sup>3</sup>
Dry Density	: 1,6 g/cm <sup>3</sup>
Solubility in water	: None

## 10. STABILITY AND REACTIVITY

### **Hazardous reactions:**

No hazardous reactions when stored and handled according to prescribed instructions.

## 11. TOXICOLOGICAL INFORMATION

No toxicological chronically effect, if used according to description.

## 12. EGOLOGICAL INFORMATION

No special pre-cautions necessary

# INSULPUTTY STOVE KIT

## 13. DISPOSAL CONSIDERATIONS

**Product:**

Dispose of in accordance with local authority regulations

## 14. TRANSPORT INFORMATION

No special pre-cautions necessary

## 15. REGULATORY INFORMATION

**Labelling in accordance with EC-Directives:**

No label required according to EU-Directives

P-Phrases

P260

P262

## 16. OTHER INFORMATION

None